

The Brand

In the year 1997, Snom Technology was a Berlin startup and first in the world to deploy professional VoIP devices. This has given Snom the first-mover advantage, allowing the brand to grow in pedigree and scope to represent the world's premium VoIP business telephone category.

Snom operates across the world and has a sizeable customer base who helped Snom grow as a business while continually contributing to evolving the technology and product ranges.

Snom's brand sits in five product categories:











Telephones

Mobile phones

Conferencing

Headsets

Broadcasting

The D3xx Series – with Quality, Functionality & Advanced Features

The Snom D3xx Series is perfectly designed with the European aesthetic and has been a telephone of choice for effective everyday work across millions of proven installations, providing quality and functionality that are indispensable for everyday working life.

This line of telephones is feature rich and powered by the proven and well-established Snom software that fulfills all of the requirements of advanced business telephony, including wideband HD audio for crystal clear conversations, robust CTI integration, compatibility with Bluetooth, high-definition displays and support for security standards such as TLS and SRTP.

The series meets all business budgetary requirements in six models from the entry level up to the executive office.





D385 Desk Telephone

Tiltable high-resolution colour display

Paperless Snom SmartScreen

48 self-labeling keys (12 physical)

Gigabit switch | USB port

12 SIP identities | Sensor hook switch

Bluetooth-compatible



D375 Desk Telephone

Tiltable high-resolution colour display

12 LED function keys

Gigabit switch | USB port

12 SIP identities | Sensor hook switch

Bluetooth-compatible

Dual Stack IPv4/IPv6



D345 Desk Telephone

True paperless extension monitoring

48 LED adaptive function keys (12 physical)

Gigabit switch | USB port

12 SIP identities | Sensor hook switch

Dual Stack IPv4/IPv6 | Wideband audio



D335

High definition display

35 LED adaptive function keys (8 physical)

Built-in proximity sensor

Gigabit Switch | USB port

12 SIP identities



D315 Desk Telephone

High-resolution display with backlight

Gigabit switch | USB port

4 SIP identities

Sensor hook switch

Wideband audio

Dual Stack IPv4/IPv6



D305 Desk Telephone

High-resolution display with backlight

Ethernet switch

4 SIP identities

Sensor hook switch

Wideband audio



D3 (Expansion Module)

High-resolution display with backlight

18 adaptive function keys with LED

Power supplied by phone via USB port

Daisy-chain up to 3 expansion modules

The D7xx Series – Quality, Advanced Features & Worldwide Recognition

The professional D7xx Series telephones are aesthetically appealing, offering a highly practical industrial design to meet mission critical business requirements where the telephone is a key tool in every day work.

These high performance devices provide the best in wideband HD audio, Bluetooth support, and high definition colour screens. The programmable keys ensure a perfect overview for monitoring extensions while the preinstalled security certificates ensure automatic protected provisioning.

The series meets all business budgetary requirements in seven different models.











D785 Desk Telephone

High-resolution colour display

True paperless extension monitoring

24 self-labeling keys (6 physical)

Gigabit switch | USB port

12 SIP identities | Sensor hook switch

Bluetooth-compatible | Wideband audio

D765 Desk Telephone

High-resolution colour display

16 multicolour LED function keys

Gigabit switch | USB port

12 SIP identities | Sensor hook switch

Bluetooth-compatible

Dual Stack IPv4/IPv6 | Wideband audio

D735 Desk Telephone

High-resolution colour display

32 LED self-labelling function keys (8 physical)

Sensor supported user interface

12 SIP identities | Sensor hook switch

Dual Stack IPv4/IPv6 | Wideband audio

D725 Desk Telephone

Graphical display with backlight

18 multicolour LED function keys

Gigabit switch | USB port

12 SIP identities | Sensor hook switch

Wideband audio

Dual Stack IPv4/IPv6





D715 Desk Telephone

Graphical display with backlight
Gigabit switch | USB port
4 SIP identities | Sensor hook switch
Wideband audio
Dual Stack | Pv4 / IPv6



D712 Desk Telephone

Graphical display with backlight

Ethernet switch

4 SIP identities | Sensor hook switch

Wideband audio

Dual Stack IPv4/IPv6



D7 (Expansion module)

High-resolution display with backlight

18 multicolour LED function keys

Power supplied by phone via USB port

Daisy-chain up to 3 expansion modules

D717 Desk Telephone

High definition colour display
Proximity sensor support
Gigabit Switch | USB port
3 adaptive function keys with LED
6 SIP identities

Workplace Mobility – Freedom of movement while you talk

Whether using a single radio base station or a multicell installation, Snom's DECT solution allows you to keep doing business when moving around the workplace.

The Snom family of IP-DECT systems and handsets ensure that business users never have to sacrifice functionality and quality for workplace mobility while offering access to all the typical functions of their desk telephones. Whether in small business environments, large enterprises, factories, warehouses, temporary construction sites, schools, critical environments, or healthcare centers, the Snom IP-DECT systems can be installed rapidly and scaled instantly while providing superb HD digital voice communications with call security and encryption.





M85 Industrial Handset

Ruggedized IP65 DECT handset

Alarm features to increase safety

Shockproof, splash-proof, dust-proof

Suitable for outdoor areas

Programmable alarm key

Headset jack

Pull-cord, man-down alarm

Vibration alert, belt clip, Bluetooth-compatible



M65 Professional Handset

High resolution TFT colour display

Wideband speakerphone | DECT encryption

Configurable to M300 and M700

Up to 250 h standby

Local & shared address book

Headset jack

SW upgrade over-the-air

Vibration alert, belt clip



M25 Office Handset

Speakerphone | DECT encryption

Configurable to M300 and M700

Up to 75 h standby

Intuitive user interface | Headset jack

SW upgrade over-the-air



M700 Multicell Base Station

Scalable up to 254 base stations

Up to 1000 handsets per installation

Wideband audio | Over-the-air synchronization

Repeater support | Snom provisioning

No hidden costs for licenses

No DECT manager required



M325 DECT Bundle Single-cell

M300 base station & M25 handset bundle

Up to 20 handsets

Up to 5 parallel calls

Repeater support | Snom provisioning

Security (TLS and SRTP)









M15 SC

1.7" graphical display

Up to 7 hours talk-time

Up to 7 days standby

Illuminated keypad

Integrated belt clip

Works with M200 SC and M400 SC



M200 SC

Single-cell base station for up to 6 handsets

Up to 4 parallel calls

Wideband audio codecs

Snom redirection service

PoE enabled

GAP compatible



M215 SC

Universal DECT-bundle

Up to 6 handsets

Integrated belt clip

GAP compatible



M45 SC

2" Colour Display

GAP-compatible

Up to 20 hours talk-time

Up to 200 hours standby

Illuminated keypad

Works with M200 SC and M400 SC



M400 SC

Single-cell base station for up to 8 handsets

Up to 8 parallel calls

Wideband audio codecs

Snom redirection service

PoE enabled

GAP compatible



M445 SC

DECT-bundle for small and medium offices

Up to 8 handsets

Colour display

GAP compatible

Conferencing – Optimized for your business environment

In today's everyday working life, having simple and quick-to-use conferencing solutions is absolutely essential. Snom's conference systems are easy to integrate into any work environment and able to meet any need. Put your trust in the advantages offered by Snom.

With over 20 years of experience in VoIP technology, success is guaranteed.







Two wireless DECT microphones

Automatic and adaptive echo cancelation technology
Expandable by up to three C52-SP speakerphones
for large conferences with up to 4 separate rooms
Supports two Bluetooth devices like mobile
phones or headsets and one DECT headset



C52-SP

Wireless DECT connectivity to C520-WiMi and A230 for connection to desktop telephones

Cable or battery power supply

Up to 12 hours talk time and 70 hours stand-by



MeetingPoint

OmniSound® Full Duplex broadband sound technology

3-way conference calls

Recording range up to 30 m² room area or 10 participants

Simultaneous access to internal & external telephone books (LDAP)

12 SIP registrations



MeetingPoint Extension Microphones

Expand recording range to up to $70\,m^2$

Automatically detected

Public Address System

The PA1 allows you to create announcements by initiating a call from any Snom telephone. It has a built-in highly efficient amplifier and augments your existing SIP PBX and is the ideal solution for broadcasting announcements or to pipe background music in assigned rooms, hallways, and office floors.

D120

The Snom D120 represents the new standard of functionality and adaptability among entry-level IP telephones. With its backlit display it allows for an exceptional view of all call information and the integrated functions making it one of the best desk phones on the market. The D120 is the ideal telephone for hotels or hospitals or for any environment that requires high quality entry entry-level telephones. The Snom D120 is also well placed in terms of efficiency and cost.



PA₁

4-watt Class-D amplifier

4 controllable output pins

Broadcasts over SIP and Multicast

Robust housing

Wall and ceiling mountable



D120

Backlit graphical display

4 context sensitive function keys + 5 function keys

2 SIP identities

360 degree call/message indicator

Low power consumption (PoE)



A170 DECT-Headset

First class HD audio quality

Noise cancelling microphone

Three wearing styles

Long range DECT technology (up to 50m)

Dual connection to external devices (Snom telephone and PC)



DECT A150 Micro headset

Highest quality HD audio
Long range DECT technology (up to 50m)
Exceptional comfort thanks to an
ultra-light design

Built-in call notification and status lights

Built-in battery for up to 5 hours of talk
time and up to 35 hours stand-by



A100D

Binaural design with superior wideband sound

300° flexible boom with noise-cancelling microphone

Single wire design for users' convenience Quick Release (QR) connector system Ultra light-weight: 79g (without cord)



A100M

Monoraul design with superior wideband sound

300° flexible boom with noise-cancelling microphone

Single wire design for users' convenience

Quick Release (QR) connector system

Ultra light-weight: 56g (without cord)



A210 Wlan-Stick

To connect Snom telephones to WLAN WLan Dual-Band at 2.4GHz and 5GHz Status LED

USB port connector



A230 DECT-Stick

Connects up to two DECT devices to the Snom telephone

Intuitive and easy-to-use

LED pairing key

Connection via USB port



ACUSB adapter cable for USB devices

ACPJ adapter cable for 3.5mm phone jack

ACPJ25 adapter cable for 2.5mm phone jack

Certification on Major Platforms





























































The Snom Partner Programme

Be part of our success story!

With the new Snom Partner Programme, we offer our retailers and official partners a wide range of exceptional advantages, from free demo products for Registered Partners to enticing purchase bonuses for Gold and Silver Partners for each Snom telephone ordered.

As a further incentive, all of our Gold and Silver Partners are entitled to a prominent mention on the snom.com website.

For more information on the Snom Partner Programme, don't hesitate to visit our website, https://partner.snom.com.

snom

Registered Partner

snom

Silver Partner snom

Gold Partner

D7xx Series

















	1 apertess	Label	1 apertess	Label				
	D785	D765	D745	D735	D725	D717	D715	D712
Display	Colour TFT	Colour TFT	Graphical	Colour TFT	Graphical	Graphical	Graphical	Graphical
SIP Identities	12	12	12	12	12	6	4	4
Ethernet/Switch	2 x Gigabit	2 x Gigabit	2 x Gigabit	2 x Gigabit	2 x Gigabit	2 x Gigabit	2 x Gigabit	2x 10/100 Mbps
Programmable Keys (LED)	24 self-labeling keys (6 physical)	16 multicolour	32 self-labeling keys (8 physical)	6 multicolour	32 self-labeling keys (8 physical)	3 multicolour	5	5
Paperless	•	•	•	•	0	•	0	0
USB	•	•	•	•	•	•	•	0
Expansion Module	•	•	•	•	•	•	•	0
Bluetooth- compatible	Integrated	Integrated	Via USB dongle	Via USB dongle	Via USB dongle	Via USB dongle	Via USB dongle	0
Colour	Black / White	Black	Black	Black / White	Black	Black / White	Black / White	Black
Warranty	3 years	3 years	3 years	3 years	3 years	3 years	3 years	3 years

D3xx Series











	D385	D375	D345	D335	D315	D305
Display	Colour TFT	Colour TFT	Graphical	Graphical	Graphical	Graphical
SIP Identities	12	12	12	12	4	4
Ethernet/Switch	2 x Gigabit	2 x Gigabit	2 x Gigabit	2 x Gigabit	2 x Gigabit	2 x 10/100 Mbps
Programmable Keys (LED)	12 multicolour	12 multicolour	12 multicolour	12 multicolour	5	5
Paperless	•	0	•	•	0	0
USB	•	•	•	•	•	0
Expansion Module	•	•	•	•	•	0
Bluetooth-compatible	Integrated	Integrated	Via USB dongle	Via USB dongle	Via USB dongle	0
Colour	Black blue	Black blue	Black blue	Black blue	Black blue	Black blue
Warranty	3 years	3 years	3 years	3 years	3 years	3 years

Workplace Mobility











	M85	M65	M25	M45 SC	M15 SC
Display	2" 176 x 220 px TFT	2" 176 x 220 px TFT	1.4" 128 x 128 px TFT	2" 176 x 220 px TFT	1.7" 90 x 65 px
Wideband audio	G.722 codec	G.722 codec	0	G.722 codec	G.722 codec
Standby time	200 hours	250 hours	75 hours	200 hours	7 days
Max. talk time	17 hours	18 hours	7 hours	20 hours	7 hours
Battery	Lithium-lon 1100mAH	Lithium-lon 1100mAH	2 x AAA rechargeable	NiMH Battery Pack	NiMH Battery 550mAH Pack
Dimensions	152 x 48 x 28 mm	141 x 48 x 24 mm	135 x 41 x 25 mm	156 x 50 x 20 mm	174 x 49 x 31mm
Extras	Vibration alert, security features, illuminated keypad, IP65, Bluetooth compatible	Vibration alert, belt clip, illuminated keypad	0	Belt clip, illuminated keypad	Belt clip, illuminated keypad

Workplace Mobility









	M300	M700
Cell type	Single	Multi
Handsets	20	1000
Parallel calls	5	8 per base
Wideband codec	G.722 codec	G.722 codec
РоЕ	0	•
GAP	0	0

	M200 SC	M400 SC
Cell type	Single	Single
Handsets	6	8
Parallel calls	4	8
Wideband codec	G.722 codec	G.722 codec
РоЕ	•	•
GAP	•	•





Snom A230 DECT USB dongle

A tiny "factotum"

With the Snom A230 DECT USB dongle and integration for C52 SP conferencing, any Snom telephone with a USB port is instantly transformed into a flexible and economical conference solution!

There are no high investment costs or special technical operations and there is no need to use other telephone numbers.



The Snom A230 connects to the USB port on Snom desktop phones.



Just press a button to quickly pair the Snom A230 and the C52 SP microphone.



Once the two devices are paired, calls can be picked up, made, and ended directly from the C52 SP.



Headquarter | Germany

Wittestr. 30 G 13509 Berlin

Phone +49 30 398 33 0 Fax +49 30 398 33 111 Email hq@snom.com

France

1er Etage Gauche 6 Parc des fontenelles 78870 Bailly

Phone +33 1 80 87 64 87 Fax +33 1 80 87 62 88 Email office.fr@snom.com

Italy

Via Milano1 20020 Lainate (Milano area)

Phone +39 02 006 112 12 Fax +39 02 936 618 64 Email office.it@snom.com

Spain

Martinez Villergas Business Park C./Martinez Villergas 49, Block V, Primera Planta 28027 Madrid

Phone +34 936 550 665 Email office.es@snom.com

UK

The Courtyard High Street Ascot Berkshire SL5 7HP

Phone +44 161 348 7500
Fax +44 161 348 7509
Email office.uk@snom.com